

Electronic Dosing Pump

Aventura in association with Seko, the leaders in Dosing technology bring you state-of-the-art electronic Dosing Pumps in India. Extremely precise & versatile, Tekna EVO series Pumps are powered by microprocessor-based electronics that can adapt easily to any dosing requirement. Tekna EVO Series are the result of years of research and development and are backed by 40 years of trust of global industries.

TECHNOLOGICAL MARVEL



SPECIAL FEATURES

ROBUST & VERSATILE

- Fibreglass reinforced PP plastic enclosure guarantees great resistance to impact and chemical attack
- Counters power supply variations

COMPATIBILITY

- **Pump Head - Suction & Discharge assembly made of PVDF suits all chemical used in industrial, wastewater treatment & potable water applications**
- Use of ceramic balls as standard improves pumping reliability and chemical compatibility of the whole liquid end

INVENTORY REDUCTION

- **4 models cover 1 to 60 litre per hour with an output pressure upto 20bar**
- Reduction in spares stock holding

RELIABLE

- **Long life diaphragm tested to give 5 years working life**
- Diaphragm made from pure solid PTFE, ensures compatibility with most chemicals

STEADY DOSING PERFORMANCE

- Stabilized multi power supply 100 - 240 VAC with reduced power consumption
- Improves pump efficiency as performance is not affected by power supply variations
- Dual frequency range (0 - 20% or 0 - 100%)

EASY TO INSTALL

The only pump that allows multiple fixing options-wall mounting, on water meter or tank, on a horizontal base (with or without bracket)

ANALOG VERSION

TEKNA EVO-AKL

- Constant flow rate manually adjustable
- Dual frequency range (0+20% or 0+100%)
- Power-on LED Indicator
- Inbuilt level sensor which trips the pump in case of low level in dosing tank

CONSTANT DOSAGE

TEKNA EVO-APG

- Constant flow rate manually adjustable
- Proportional flow rate according to an external analog (4-20 mA) or digital pulse signal
- Control dial (percentage & "n" value in multiplication mode)
- 'Pacing' function adjustable by dip Switch

PROPORTIONAL DOSAGE

TEKNA EVO-ATL

- Constant flow rate manually adjustable
- Timed dosage with T on-T off double regulation
- 3 control dials

TIMED DOSAGE

DIGITAL VERSION

TEKNA EVO-TPG

- Constant flow rate manually adjustable
- Proportional flow rate according to an external analog (4-20 mA) or digital pulse signal
- Timer function, ppm dosing, performance reports, password protection and On/Off input (remote switch)

PROPORTIONAL DOSAGE

TEKNA EVO-TPR

- Built in pH/Redox control meter
- Digital interface for constant or proportional dosing, depending on the measured pH or Rx value
- PT100 probe input for thermal compensation
- Repetition Alarm Relay
- Input On-Off for remote control
- 4-20 mA output signal

PROPORTIONAL DOSAGE

TEKNA EVO-TCK

- Constant flow rate manually adjustable
- Timer control
- Programmable timed relay
- Extreme versatile for all timed dosing application
- Autocalibration

TIMED DOSAGE


Electronic Dosing Pump

TECHNICAL SPECIFICATIONS

Code	Pressure [bar]	Flow rate [lt/h]	Frequency max [stroke./min]	Stroke capacity [cc/stroke]	Ø Connections IN / OUT [mm]	POWER Consumption [W]
600	20	2.5	120	0,35	4 / 6 suc.	12,0
	18	3		0,41	4 / 7 dis.	
603	12	4	160	0,42	4 / 6	12,2
	10	5		0,52		
	8	6		0,63		
	2	8		0,83		
800	12	7	320	0,36	4 / 6	23,9
	10	10		0,52		
	5	15		0,78		
	1	18		0,94		
803	5	20	300	1,11	8 / 12	22,2
	4	25		1,39		
	2	40		2,22		
	1	54		3		

Liquid contact material	Pump Head	Connectors	Balls	Diaphragm	Accessories		Seals	
	PVDF	PVDF	Ceramic	PTFE	PVC	PVDF	FPM	EPDM

Pressure [bar]



Isolation Class	F	
Protection Degree	IP65	
Working Temperature	10...40° C	
Power Supply	100 ÷ 240V	24 ÷ 48VAC*
Pump is supplied with 1.5 meters power supply cable		

* Only for AKL & APG VERSION